COMERCIAL

MUEBLES Y ELECTRODOMESTICOS

Av. Independencia 1670, Km 8 1/2
Carretera Sánchez, Sector Miramar

Tel.: 809-532-4552
Cel.: 829-761-5941

COCINA

REFRIGERACION

LAVADO

Whirlpool®

ESTUFA

LWF-5022B

ESPECIFICACIONES :

- Estufa al piso de 30"
- Cubierta sellada de acero inoxidable "Ultra Top Clean“
- 3 parrillas
- Comal porcelanizado
- 2 quemadores estándar + 2 quemadores extra grandes + 1 quinto quemador
- Encendido de botón
- Termo control cinco pasos
- Encendido del horno "Match Ignition"
- 1 parrilla en el horno
- Jaladera de toallero en horno y asador

Dimensiones:

Alto 92.0 cm

Ancho 76.0 cm

Fondo 63.0 cm

ESTUFA

WF-5920S

ESPECIFICACIONES :

- Estufa al piso de 30"
- Cubierta sellada de acero inoxidable "Ultra Top Clean“
- 3 parrillas
- Comal porcelanizado
- 2 quemadores estándar + 2 quemadores extra grandes + 1 quinto quemador
- Encendido de botón
- Termo control cinco pasos
- Encendido del horno "Match Ignition"
- 1 parrilla en el horno
- Jaladera de toallero en horno y asador

Dimensiones:

Alto 92.0 cm

Ancho 76.0 cm

Fondo 63.0 cm

ESTUFA

WF-7021S

ESPECIFICACIONES

- Estufa al piso de 30"
- Cubierta sellada de acero inoxidable "Ultra Top Clean“
- 3 parrillas
- Comal porcelanizado
- 2 quemadores estándar + 2 quemadores extra grandes + 1 quinto quemador
- Encendido de botón
- Termo control cinco pasos
- Encendido del horno "Match Ignition"
- 1 parrilla en el horno
- Jaladera de toallero en horno y asador

Dimensiones:

Alto 92.0 cm

Ancho 76.0 cm

Fondo 63.0 cm

ESTUFA

WFG-371LVB

WFG-371LVQ

Features

- 5.0 cu. ft. Capacity
- Continuous Cast-Iron Grates
- Recessed Cook top
- (2) 15,500 BTU Power™ Burners
- (1) 5,000 BTU AccuSimmer® Burner
- (1) 9,500 BTU Burner
- Adjustable Time Self-Cleaning System
- Accurate® Temperature Management
- 2 Adjustable Oven Racks
- Easy View™ Extra-Large Oven Window
- Delay Bake
- Lower Storage Drawer
- Control Lock
- Custom Broil
- Oven Hold Warm
- Clock & Timer
- Automatic Oven Light

ESTUFA

WFG-540H0AS

Features

- 5.0 cu. ft. Capacity
- Continuous Cast-Iron Grates
- Recessed Cook top
- 5,000 BTU Accu Simmer® Burner
- Adjustable Time Self-Cleaning System
- Accurate® Temperature Management
- 2 Adjustable Oven Racks
- Easy View™ Extra-Large Oven Window
- Delay Bake
- Lower Storage Drawer
- Control Lock
- Custom Broil
- Oven Hold Warm
- Clock & Timer

ESTUFA

WFG-720H0AS

Features

- 5.8 cu. ft. Capacity
- Continuous Cast-Iron Grates
- Recessed Cook top
- Warning Drawer
- 5,000 BTU Accu Simmer® Burner
- Adjustable Time Self-Cleaning System
- Accurate® Temperature Management
- 2 Adjustable Oven Racks
- Easy View™ Extra-Large Oven Window
- Delay Bake
- Lower Storage Drawer
- Control Lock
- Custom Broil
- Oven Hold Warm
- Clock & Timer

ESTUFA

NWF-0600W

ESPECIFICACIONES:

- Burners 2 standard burners. 2 Super + 1 fish
- Burners Cap Estampados
- Grates 3
- Cooktop Porcelain
- Ignition Two hand
- Window Standard
- Type of thermostat thermocontrol
- oven racks 1
- Oven ignition Manual

ESTUFA

NWF-0601Q

ESPECIFICACIONES:

- Burners 6 Standard
- Burners Cap Brass
- Grates 3
- Cooktop porcelain
- Ignition Manual
- Window Standard
- Type of thermostat thermocontrol
- oven racks 2
- Oven ignition Manual
- Grill no
- Clock no

ESTUFA

NWF-5900Q

ESPECIFICACIONES:

- Burners 6 standard
- Burners Cap Brass
- Comal removable
- Grates 3
- Cooktop Porcelain
- Ignition Two hand
- Lock Knobs yes
- Windows Panorámica
- Light oven light
- Type thermostat
- oven racks 2 slider out
- Oven ignition Two hand
- Grill Lower grill
- Clock yes

ESTUFA

LWF-5905D

ESPECIFICACIONES:

- Burners 2 standard + 2 Super + 2 two
- Burners Cap Black
- Comal Teflonizado
- Grates 3
- Cooktop Porcelain
- Ignition Electronic
- Lock Knobs yes
- Window Extra Panoramic
- Light oven light
- Type thermostat
- oven racks 1
- Oven ignition Manual
- Grill Open wide
- Grill type Open wide
- Clock yes

ESTUFA

WGR2001TQP/TBP

ESPECIFICACIONES:

- Cubierta en acero Inox.
- Ahorro de combustible de un 40%
- 2 parrillas superiores
- 4 Quemadores troquelados
- Escendido manual
- Perillas de seguridad
- Escendido manual en el horno
- Termocontrol
- Horno especial tipo pizzeria
- 1 parrilla en el horno
- Ventana grande
- Jaladera tipo toallero
- Tamaño: 20”
- Colores: Blanco y Negro

ESTUFA

WGR-2002TQP/TBP

ESPECIFICACIONES:

- Cubierta en acero Inox.
- Ahorro de combustible de un 40%
- 2 parrillas superiores
- 4 Quemadores en aluminio super Fuertes
- Escendido Electrónico
- Perillas de seguridad
- Escendido manual en el horno
- Termo control
- Horno especial tipo pizzeria
- 1 parrilla en el horno
- Ventana grande
- Jaladera tipo toallero
- Tamaño: 20”
- Colores: Blanco y Negro

ESTUFA

WGR-2003TSP

ESPECIFICACIONES:

- Frente y cubierta en acero Inox.
- Ahorro de combustible de un 40%
- 2 parrillas superiores
- 4 Quemadores en aluminio super Fuertes
- Escendido Electrónico
- Perillas de seguridad
- Escendido manual en el horno
- Termo control
- Horno especial tipo pizzeria
- 1 parrilla en el horno
- Ventana grande
- Jaladera tipo toallero
- Tamaño: 20”
- Colores: Frente en acero lateral Negro

ESTUFA

SCS-3017RB

Features

- 30" Porcelain-on-Steel Cook top
- New Formed Styling, Graphics and Knobs
- Sealed Gas Burners
- Cook top Power™ Burners
- Left Front: 12,500 BTU Power™ Burner
- Right Front: 5,000 BTU Burner
- Left Rear: 9,100 BTU Burner
- Right Rear: 12,500 BTU Power™ Burner
- Full-Width Cast Iron Burner Grates
- Infinite-Heat Controls with Lift-Off Knobs
- LP Gas Conversion Kit Included
- 120V Electrical Requirement

Dimensions

Depth: 21 Inches

Height: 2 7/8 Inches

Width: 31 7/16 Inches

Electrical Requirements

15. 60 Hz. 120 V.

HORNO

RM-305PVS

Features

1.4 cu. ft. Capacity Microwave Upper Oven
4.1 cu. ft. Capacity Lower Oven
900 Watts Microwave Cooking Power
Accu Bake® Temperature Management System
Self-Cleaning System with Auto Latch
Mylar® Controls
2 Adjustable Oven Racks
Delay Bake
Timer Preheat Countdown
One Touch Bake and Broil Feature
Custom Broil
Closed-Door Broiling
Control Lock
Incandescent Oven Lights
Clock & Timer
Flush-to-Cabinet Design

Dimensions

Depth: 26 Inches
Height: 42 3/8 Inches
Width: 29 3/4 Inches

Electrical Requirements
40. 60 Hz. 240 V.

EXTRACTORES

UXT4030AYS

UXT4030AYW



UXT4030AYT



Features

Recirculating Ventilation with Charcoal Filter to Remove Grease and Odors

Rocker Switch with 2 Speed Settings

Incandescent Lighting to Illuminate Your Work Surface

Dishwasher Safe Aluminum Mesh Grease Filter

Axial Fan

Dimensions

Depth: 17 1/2 Inches
Height: 6 Inches
Width: 30 Inches

Dimensions shown are for planning purposes only. For complete information, see Installation Instructions packed with product.

Electrical Requirements
15. 60 Hz. 120 V.

Disponible Blanco:-negro-almendra y acero inox.

UXT4030AAS

CAMPANAS

ESPECIFICACIONES:

- 1,1 Y 0.7 Pies cúbicos
- Potencia 1,350 W
- 10 Niveles de potencia
- Funciones predeterminadas: Papa Asada, Palomitas, Pizza, Bebidas, Congelados, Re-calentar
- Cronómetro
- Reloj
- Cocinado por etapas
- Cocinado por peso
- Descongelar por peso
- Descongelado rápido
- Luz
- Panel digital
- Acabado lizo fácil de limpiar Ez-Clean
- Color Natural Silver
- 1 año de garantía en todas sus partes y componentes

WM-1111 D/1107D

Dimensiones	**53.9 X 45.0 X 30.0 cm**
Dimensiones con caja	**60.8 X 47.8 X 36.6 cm**
Peso	**15.4Kg / 17.4Kg (Con Empaque)**

CAMPANAS

ESPECIFICACIONES:

WME-1111 Q

- 1,1 Pies cúbicos
- Potencia 1,350 W
- 10 Niveles de potencia
- Funciones predeterminadas: Papa Asada, Palomitas, Pizza, Bebidas, Congelados, Re-calentar
- Cronómetro
- Reloj
- Cocinado por etapas
- Cocinado por peso
- Descongelar por peso
- Descongelado rápido
- Luz
- Panel digital
- Acabado lizo fácil de limpiar Ez-Clean
- Color Natural Silver
- 1 año de garantía en todas sus partes y componentes

Dimensiones	53.9 X 45.0 X 30.0 cm
Dimensiones con caja	60.8 X 47.8 X 36.6 cm
Peso	15.4Kg / 17.4Kg (Con Empaque)

LAVAPLATOS

DU-850XTVS

Features

Rated a "RECOMMENDED BUY" for performance by a leading consumer magazine
ENERGY STAR® Qualified
Electronic Controls
Any Ware™ Plus Silverware Basket
Vinyl Racks
Quiet Partner™ II Sound Package
4 Automatic Cycles
5 Options
White Plastic Interior
NSF® Certified Sani Rinse Option
Super Capacity Tall Tub
Auto Soil Sensor
5-Level Sheer Clean™ Direct Feed Wash System
Pots & Pans Cycle
Normal Cycle
Light cycle
Rinse Only Cycle
Soak & Scour Option
High Temperature Wash Option
Heated Dry Option
2-4-6 Hour Delay Wash Option
Control Lock

Dimensions

Depth: 24 1/2 Inches
Height: 34 1/2 Inches
Width: 23 7/8 Inches
15 Amps. 331 kWh per Year. 60 Hz. 15. 120 V.

REFRIGERADOR

NWT-9001G/Q

NWT-9501G

ESPECIFICACIONES:

- Capacidad 9.5 p3
- 2 parrillas de cristal templado
- Contenedor para huevos
- Luz en el enfriador
- 1 parrilla de alambrón en el congelador
- 1 charola para hielo
- Nuevo y atractivo diseño exterior e interior
- Sistema de deshielo y enfriamiento automático
- 2 anaqueles transparentes en contrapuerta movibles
- Cajón para legumbres transparente y abatible con tapa de cristal
- Controles independientes en enfriador y congelador para regular la temperatura
- 1 anaquel transparente en la puerta del congelador
- 1 año de garantía

Dimensiones:

Alto: 165.9 cm Ancho: 55.7 cm Fondo: 67.9 cm
Colores: Satinado y Blanco

REFRIGERADOR

NWR-0001Q

ESPECIFICACIONES:

- Capacidad 10 p3
- 2 parrillas de cristal templado
- Contenedor para huevos
- Luz en el enfriador
- 1 parrilla de alambrón en el congelador
- 1 charola para hielo
- Nuevo y atractivo diseño exterior e interior
- Sistema de deshielo y enfriamiento automático
- 2 anaqueles transparentes en contrapuerta movibles
- Cajón para legumbres transparente y abatible con tapa de cristal
- Controles independientes en enfriador y congelador para regular la temperatura
- 1 anaquel transparente en la puerta del congelador
- 1 año de garantía

Dimensiones:

Alto: 165.9 cm Ancho: 55.7 cm Fondo: 67.9 cm
Colores: Blanco

REFRIGERADOR

W4TXNWFWQ

ESPECIFICACIONES:

- Capacidad: 14 pies cúbicos.
- Nevera Top Mount
- 2 puertas.
- No Frost.
- Sistema de Control de humedad.

Dimensiones:

Ancho: 28 Pulgadas

Alto: 62.75 Pulgadas

Profundidad: 31.15 Pulgadas

REFRIGERADOR

W8RXNGMWS

W6RXNGMWS

NEVERAS WHIRLPOOL EN ACERO

REFRIGERADOR

Asimov modelo Line 15,16, 18 y 18 P.C Nuevos modelos 2012

Good

- Long handle
- FC door hidden hinge

Better +

- Long Handle
- WD (*gravitational*)
- FC door hidden hinge

Best

- Long handle
- WD (*gravitational*)
- UI 2 buttons (*back LED*)
- FC door hidden hinge

Best +

- Long handle
- Quick Access
- WD (*gravitational*)
- UI 2 buttons (*back LED*)
- FC door hidden hinge

REFRIGERADOR

ED5FHEXVS

Features

- ENERGY STAR® Qualified
- 11 Years Fewest Repairs as Rated by a Leading Consumer Magazine
- Traditional Styling
- Electronic Ice & Water Dispenser with Standard Push Button Controls
- Purr® 6-Month Water Filtration
- Water Filter "Change" Indicator Light
- Backlit Slide Interior Temperature Controls
- Adaptive Defrost System (ADS)
- Adjustable Gallon Door Bins
- Full-Width Adjustable Spill Guard™ Glass Shelves
- Clear Humidity-Controlled Crisper
- Clear Temperature-Controlled Meat Pan
- Clear Snack Pan

Dimensions

Depth: 33 3/4 Inches
Height: 69 3/4 Inches
Width: 35 1/2 Inches

REFRIGERADOR

GX5FHDXVY

Features

- ENERGY STAR® Qualified
- Adaptive Defrost System (ADS)
- Accu-Chill™ Temperature M. System
- Full-Width Pantry
- Humidity-Controlled Crispers
- Adjustable Glass Shelves
- Adjustable Door Bins (1 Gallon Size)
- Can Caddy
- Hanging Deli Drawer
- Drawer Freezer Door
- Upper Slide-Out Freezer Basket
- Lower Freezer Basket
- Factory Installed Automatic Ice Maker
- Freezer Light
- Smooth Door Finish (all colors)
- Satina® Stainless-Look Finish Available

Dimensions:

Depth: 35 7/16 Inches
Height: 70 1/8 Inches
Width: 35 5/8 Inches

VMW

(Vertical Modular Washer)

CONSUMER SEGMENTATION



MY 1ST WHIRLPOOL

Contemporary & Convenience

Modernity , Friendly and Tech-look User Interface

Impeller

MY STYLE

Performance & Design

Superior Wash Performance, Versatility and Smart solutions

Agitator



MY EXPERIENCE

Intuitive & Pleasure

Health conscious and 6th sense technology

High Efficiency

" Deliver great fabric care to all kind of customers, from entry-lever buyers to those considering a High Efficiency model for the first time"

VMW “Classic” Improvements over LEAP

Larger Opening
Easier to load

Encoder type Knobs

New Knob
(Washer & Dryer)

Advanced Vibration Control

700 RPM, better water extraction

Capacities from 3.3 to 4.3 cu. ft.

Electronic Controls

Sensing Soak Wash Rinse Spin Done Lid Lock

Porcelain and Stainless Steel Baskets

Agitator and NEW Impeller models

Quality improvements

2011 Energy Compliance
E-Star, Tier 3 water and energy compliance (*like a front loader)*

H_2Low wash system

ecoconserve

MCT
Maytag Commercial Technology

LINE UP 1C Classic Washers

1CWTW4740YQ

ESPECIFICACIONES:

- Basket size 3.5 cu.ft IEC
- Basket finish Speckle
- Bleach Dispenser
- Standard Solid Lid
- 2 Water Temperatures
- 3 Water Levels
- 2 knobs
- 2 spin speeds; 700 rpm max
- Single action agitator
- 8 cycles
- Color white
- Language English
- Inlet Hose included

LINE UP 1C Classic Washers

1CWTW4800YQ

ESPECIFICACIONES:

- Basket size 3.5 cu.ft IEC
- Basket finish White Porcelain
- Bleach Dispenser
- Fabric Softener Dispenser
- Wide Open Solid Lid
- 3 Water Temperatures
- 3 Water Levels
- Fab Softener/Extra-Rinse knob
- 2 spin speeds; 700 rpm max
- Dual action agitator
- 9 cycles
- Color white
- Language English
- Inlet Hose included

LINE UP 1C Classic Washers

1CWTW4840YQ

ESPECIFICACIONES:

- Basket size 3.5 cu.ft IEC
- Basket finish White Porcelain
- Bleach Dispenser
- Fabric Softener Dispenser
- Wide Open Solid Lid
- 4 Water Temperatures
- 4 Water Levels
- Fab Softener/Extra-Rinse knob
- 2 spin speeds; 700 rpm max
- Triple action agitator
- 9 cycles
- Color white
- Language English
- Inlet Hose included

LINE UP 1C Classic Dryers

WGD4800XQ
Match to
1CWTW4740YQ/1CWTW4800YQ

- Gas Dryer
- Basket size 7.0 cu.ft
- Powder coated basket
- Top Lint Filter
- Wide Open (Hamper) Solid Lid
- 3 Dryer Temperatures
- Auto dry sistem
- Drum Light
- Wrinkle Shield (40 min in timer)
- 13 cycles/4 custom options
- Color White with Chrome

WED4800XQ
Match to
1CWTW4740YQ/1CWTW4800YQ

- Electric Dryer
- Basket size 7.0 cu.ft
- Powder coated basket
- Top Lint Filter
- Wide Open (Hamper) Solid Lid
- 3 Dryer Temperatures
- Auto dry sistem
- Drum Light
- Wrinkle Shield (40 min in timer)
- 13 cycles/4 custom options
- Color White with Chrome

WGD4900XW
Match to 1CWTW4840YQ

- Gas Dryer
- Basket size 7.0 cu.ft
- Powder coated basket
- Top Lint Filter
- Wide Open (Hamper) Solid Lid
- 4 Dryer Temperatures
- AccuDry sistem
- Drum Light
- Wrinkle Shield (90 min on/off)
- 13 cycles/5 custom options
- Quiet Pack
- Color White with Chrome

WED4900XW
Match to 1CWTW4840YQ

- Electric Dryer
- Basket size 7.0 cu.ft
- Powder coated basket
- Top Lint Filter
- Wide Open (Hamper) Solid Lid
- 4 Dryer Temperatures
- AccuDry sistem
- Drum Light
- Wrinkle Shield (90 min on/off)
- 13 cycles/5 custom options
- Quiet Pack
- Color White with Chrome

SECADORA

WGD-950WW

Features

Eco Normal Cycle

Accuser Care™ Drying System

8 Automatic Cycles

Timed Drying

Wrinkle Shield™ Plus Option (up to 60 Minutes)

Adjustable End-of-Cycle Signal

Dimensions

Depth: 29 Inches

Height: 36 Inches

Width: 27 Inches

Dimensions shown are for planning purposes only. For complete information, see Installation Instructions packed with product.

Electrical Requirements

15-20 Amps. 60 Hz.

SECADORA

WGD-5300VW

Features

7.0 Cu. Ft. Capacity
Accu Dry™ Sensor
Wrinkle Shield™ Plus Option (up to 90 Minutes)
Quiet Dry Noise Reduction System
12 Automatic Cycles
5 Temperature Settings
Heavy Dry Cycle
Delicate Cycle
Jeans Cycle
Timed Drying
Damp Dry Cycle
Wide-Opening Hamper Door
Extra-Large Top-Mounted Lint Screen
Adjustable End-of-Cycle Signal
Interior Drum Light
Optional Dryer Rack 3406839 Sold Separately

Dimensions

Depth: 27 3/4 Inches
Height: 42 1/2 Inches
Width: 29 Inches

Electrical Requirements
60 Hz. 120 V.

LAVADORA

WFW-9050WW

Features

ENERGY STAR® Qualified
CEE Tier III Qualified
Eco Heavy Duty Cycle
Tumble Fresh™ Option
Care Control Temperature Management
1,200 RPM Maximum Spin Speed
Smooth Spin Technology
10 Automatic Cycles
Heavy Duty Cycle
Whitest Whites Cycle
Silk Cycle
Small Load Cycle
Delicate Cycle
Clean Washer Cycle with Afresh®
Delay Wash (up to 10 hours)
Quiet Wash Noise Reduction System
Stainless Steel Wash Basket
Add-A-Garment Indicator Light
Adjustable End-of-Cycle Signal
Automatic Dispenser System

Dimensions

Depth: 30 1/2 Inches
Height: 36 Inches
Width: 27 Inches

LAVADORA/SECADORA A GAS Y ELECT.

WGT-3300XQ

Features

Washer:
2.6 Cu. Ft. Capacity Wash Basket
White Porcelain Basket
8 Automatic Cycles
4 Wash/Rinse Temperature Combinations
Stepped-Down Agitation
Double Duty Surgilator® Agitator
3 Wash/Spin Speed Combinations
4 Water Level Selections
Fabric Softener Dispenser
Bleach Dispenser
Self-Cleaning Lint Filter
Tough Top II™ Top and Lid Finish
Dryer:
5.9 Cu. Ft. Extra-Large Capacity
Automatic Dry Control
6 Cycles
Tumble Press® Cycle
3 Temperature Selections
Side-Swing Door
Dura White™ Interior
4-Way Venting Option

Dimensions

Depth: 32 Inches
Height: 71 5/8 Inches
Width: 27 Inche

Electrical Requirements
30 Amps. 60 Hz. 240 V.

LINE UP 1C Classic Washers

1CWTW4740YQ

ESPECIFICACIONES:

- Basket size 3.5 cu.ft IEC
- Basket finish Speckle
- Bleach Dispenser
- Standard Solid Lid
- 2 Water Temperatures
- 3 Water Levels
- 2 knobs
- 2 spin speeds; 700 rpm max
- Single action agitator
- 8 cycles
- Color white
- Language English
- Inlet Hose included

COCINA

REFRIGERACION

LAVADO

ACROS®

ESTUFA

AF-1850B

ESPECIFICACIONES:

- Cubierta porcelanizada totalmente sellada
- Quemadores 3 Parrillas superiores
- Encendido electronico
- Encendido manual en el horno
- Limpieza continua
- Ventana Grande
- 1 Año de Garantía
- 3 Parrillas superiores
- Estampados: 5 estándar + 1 Exprés
- Perillas de seguridad
- Termo control 5 Pasos
- 1 Parrilla en el horno
- Jaladera tipo toallero de 3 piezas

Dimensiones:

Altura al respaldo: 108.0 cm Altura a la cubierta: 93.5 cm Ancho: 77.0 cm Fondo: 67.5 cm

ESTUFA

AW-1000B/Q/T

ESPECIFICACIONES:

- Ahorra hasta 20% en consumo de gas
- 2 Parrillas superiores
- Encendido manual
- Encendido manual en el horno
- Limpieza continua
- Ventana Panorámica
- 1 Año de Garantía
- Cubierta porcelanizada totalmente sellada
- Quemadores troquelados: 4 estándar
- Perillas de seguridad
- Termo-control 5 Pasos
- 1 Parrilla en el horno
- Jaladera tipo toallero
- Altura con respaldo: 105 cm Altura
- a la cubierta: 91.3 cm
- Ancho: 50 cm Fondo: 62.4 cm
- Colores: Negro, Blanco , Crema

ESTUFA

AF-1800T

ESPECIFICACIONES:

- Cubierta porcelanizada totalmente sellada
- Encendido electrónico de 2 pasos
- Encendido manual en el horno
- Limpieza continua
- Ventana Grande
- 1 Año de Garantía
- 3 Parrillas superiores
- Estampados: 5 estándar + 1 Exprés
- Perillas de seguridad
- Termo control 5 Pasos
- 1 Parrilla en el horno
- Jaladera tipo toallero de 3 piezas

Dimensiones:

Altura al respaldo: 108.0 cm Altura a la cubierta: 93.5 cm Ancho: 77.0 cm Fondo: 67.5 cm

ESTUFA

AF-5122B/T/Q

ESPECIFICACIONES:

- Ventana extra grande
- Encendido electrónico 2 pasos.
- 1 Parrilla en el horno
- 3 Parrillas superiores
- Comal removible porcelanizado
- Quemadores de aluminio: 4 estándar + 1
- súper
- Limpieza continua
- Termo control 5 pasos
- Perillas de seguridad
- Jaladera tipo toallero de una pieza.
- Encendido manual en el horno
- Cubierta porcelanizado totalmente sellada
- Tamaño: 30”

Dimensiones

Altura al respaldo: 108 cm

Altura a la cubierta: 93.5 cm

Ancho: 77 cm

Fondo: 66.5 cm

ESTUFA

ESPECIFICACIONES:

LAF-5301B

- Cubierta acero inoxidable totalmente sellada
- 3 Parrillas superiores
- Quemadores de aluminio: 4 estándar + 2 súper
- Encendido electrónico 2 pasos
- Luz en el horno
- Termo control 5 pasos
- Encendido manual en el horno
- Comal removible porcelanizado
- Perillas de extra seguridad con candado para niños
- Ventana panorámica
- 1 Parrilla en el horno
- Jaladera tipo toallero de una pieza.
- Asador Extragrande
- Tamaño: 30”

Dimensiones

- Altura al respaldo: 108 cm
- Altura a la cubierta: 93.5 cm
- Ancho: 77 cm
- Fondo: 67.5 cm

ESTUFA

CARACTERÍSTICAS

- Luz en el horno
- Limpieza continua
- 3 Parrillas superiores
- Jaladera tipo toallero de una pieza.
- Encendido manual en el horno
- Encendido electrónico 2 pasos
- Quemadores de aluminio: 4 estándar + 2 súper
- Perillas de extra seguridad con candado para niños con vista cromada
- 1 Año de garantía
- Ventana panorámica con acabado espejo.
- 1 Parrilla en el horno
- Asador inferior extra grande.
- Comal removible porcelanizado
- Termo control con piloto independiente
- Cubierta de acero inoxidable totalmente sellada
- Tamaño: 30”

  Dimensiones

  Altura al respaldo: 108 cm

  Altura a la cubierta: 93.5 cm

  Ancho: 77 cm

  Fondo: 66.5 cm

LAF-5600S

EXTRACTORES

ESPECIFICACIONES:

- De pared
- Campana purificadora con preparación para extracción
- Capacidad 170 m3 / hr.
- Sistema de extracción re-circulante
- Pintura electrostática
- Filtro de carbón activado que absorbe malos olores y purifica el aire
- Filtro sintético atrapa grasa que retiene el cochambre
- Luz incandescente integrada (foco 40 W)
- Doble interruptor (luz y motor) exterior
- Nuevo y moderno diseño que facilita la limpieza
- Atractivo diseño de gráficos
- 1 Año de Garantía
- Color: A inox/ blanco/crema y negro

Dimensiones

Altura: 12.5 cm

Ancho: 76.0 cm

Fondo: 47.5 cm.

AH-7000 B//T

NEVERA

AT-0001G

ESPECIFICACIONES:

- Capacidad 10 pies cúbicos
- 2 Puertas
- Controles independientes
- Anaqueles en contrapuerta
- 1 Parrilla alambrón en congelador
- Cajón para legumbres transparente cubierta de plástico
- Mantequillero
- 2 Anaqueles en congelador
- 2 Parrillas de cristal templado
- Sistema automático de enfriamiento y deshielo

Colores:

LAVADORA

ADL-1125VB

Especificaciones:

- Ahorra hasta 50% en consumo de luz
- Sistema de lavado por impulsor
- 2 fuerzas de lavado
- Ciclo de enguaje
- Recirculación de agua
- Drenado por gravedad
- Ventana panorámica con freno en la tapa
- 1 año de garantía

- Capacidad 11 kg
- 5 ciclos de lavado
- 4 niveles de agua
- Centrifugado en tina lateral
- Filtro atrapa pelusa removible
- Manguera de llenado y drenado incluida
- Base plástica reforzada con ruedas
- Alto: 101.0 cm Ancho: 87.0 cm Fondo: 52.0 cm

LAVADORA

ADL-1525TB

ESPECIFICACIONES:

- Ahorra hasta 50% en consumo de luz
- Sistema de lavado por impulsor
- 2 fuerzas de lavado
- Ciclo de enguaje
- Recirculación de agua
- Drenado por gravedad
- Ventana panorámica con freno en la tapa
- 1 año de garantía
- Capacidad 15 kg
- 5 ciclos de lavado
- 4 niveles de agua
- Centrifugado en tina lateral
- Filtro atrapa pelusa removible
- Manguera de llenado y drenado incluida
- Base plástica reforzada con ruedas
- Alto: 101.0 cm Ancho: 87.0 cm Fondo: 52.0 cm